

Notice of Allowability

Application No.

10/658,678

Examiner

Jeffrey L. Sterrett

Applicant(s)

FAIRBANKS ET AL.

Art Unit

2838

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☐ This communication is responsive to ____.
2. ☒ The allowed claim(s) is/are 1-24.
3. ☐ The drawings filed on ____ are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
* Certified copies not received: ____.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
1) ☐ hereto or 2) ☐ to Paper No./Mail Date ____.
(b) ☒ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date ____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 2/3/04
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date ____.
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other ____.

Jeffrey Sterrett
Primary Examiner



Art Unit: 2838

An Examiner's Amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 C.F.R. § 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the Issue Fee.

EXAMINER'S AMENDMENT

In The Title

The title has been changed to -- VOLTAGE REGULATOR POWER MANGEMENT APPARATUS --.

In The Claims

Claim 9 , Line 2 -- as a feedback voltage -- has been inserted after " voltage ".
Claim 11 , Line 2 " other " has been changed to -- another --.
Claim 13 , Line 2 " that the " has been changed to -- that --.

In The Drawings

Note attached copies of the drawings corrected in red.

Authorization for this Amendment was given in a telephone interview with Brett Hertzberg on May 19, 2005.

REASONS FOR ALLOWANCE

The claimed invention of a power conservation apparatus is found to be allowable over the prior art since a power conservation apparatus comprising a selectively enabled window comparator that provides a reference mode signal in response to whether or not an input voltage is within a predetermined range, a selectively enabled reference circuit that provides a reference voltage, a selectively enabled output comparator that activates a regulator in response to a reference signal and the regulator output voltage, a switching circuit that selects either the reference voltage or the input voltage as the reference signal in response to the reference mode signal, and a power management unit that individually enables the window comparator,

the reference circuit, and the output comparator was not found to be singularly or collectively taught by the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the Issue Fee and, to avoid processing delays, should preferably accompany the Issue Fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeffrey Sterrett whose telephone number is (703) 308-1632. The examiner can normally be reached on Monday through Thursday from 8:00 AM to 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Sherry, can be reached on (703) 308-1680. The fax phone number for this Art Unit is (703) 305-7723 and the fax phone number for this Group is (703) 305-3431 or (703) 305-3432.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 308-0956.

jls

May 19, 2005

A handwritten signature in black ink, appearing to read "Jeff Sterrett", written in a cursive style.

Jeffrey L. Sterrett

Primary Examiner

Art Unit 2838